



INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

of

of

Application Number

Filing Date

First Named Inventor

Art Unit

Examiner Name

Attorney Docket Number

U. S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

**Examiner
Signature**

Date
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.



UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Mattson et al.

Serial No.: 10/624,432

Filed: 07/22/2003

Group Art Unit 3751

Examiner Devore

For: Combination Sanitation Suction Device and High
Flow Antimicrobial Dispenser

Attorney Docket RM449d

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

REMARKS

Dear Sir,

An IDS for prior art submitted for U.S. Ser. No. 10/797,837, which is a divisional U.S. Pat. No. 6,760,931 is attached. The IDS has been renumbered and there is no page 14.

Examiners attention is respectfully drawn to examiner Nguyen making a non-final rejection of U.S. Ser. No. 10/797,837 in view of applicants U.S. Pat. No. 6,395,167. Examiners attention is also respectfully drawn to U.S. Ser. No. 10/797,252, which is also a divisional of U.S. Patent 6,760,931.

Examiners attention is further respectfully drawn to U.S. Ser. No. 10/870,091, which is a continuation of U.S. Pat. No. 6,751,814 and U.S. Ser. No. 10/979,406, which is a divisional of U.S. Pat. No. 6,751,814. These applications have had no office action.

U.S. Pat. No. 6,395,167 discloses a filter that is restricted to having a bag filled with charcoal. Therefore, no bacteria inhibiting claims are suggested or made. The drainage openings in '167 are in the housing and not in the lower peripheral edge of the faceplate as with the present invention.

The fee for this IDS has been paid.

Respectfully,

Roy W. Mattson Jr.

Roy W. Mattson Jr.

303-776-4114

Date 01/27/2005